



Туре	*	
Inlet Diameter	80mm (3")	
Outlet Diameter	80mm (3")	
Total Head (Metre)	28	
Suction Head (Metre)	8	
Maximum Discharge (lit./min.)	1000	
Self-Priming time for five metre Suction Lift	150 Sec.	
Engine Parameters Type	**	
Fuel Tank Capacity - Gasoline (Itrs.)	0.35	
Fuel Tank Capacity - Kerosene (ltrs.)	3.3	
Dimensions Parameters		
LxWxH (mm)	623x490x498	
Dry Weight (kg)	32	

Special Features

International Honda Technology

Honda Pump sets are manufactured in India, in collaboration with the renowned Honda Motor Co., Japan. They incorporate the most advanced 4-stroke technology assuring you of the most reliable performance. The latest Honda technology and stringent quality - control tests carried out extensively in the new Honda Portable Pump set ensure trouble-free service, year after year, saving you a lot on repair.

A Boon to Small Farmers

The new Honda Portable Pump sets are designed for irrigating small land holdings up to 5 acres. Its easy portability also makes it very useful for irrigating scattered and distant fields. It is indeed a special boon to small and marginal farmers who cultivate paddy, vegetables and various other seasonal crops.

Easy Portability

All Honda Pump sets are so light and handy that you can easily carry it on a bicycle or in your hands. When the work is over, you can bring it back home for safekeeping. So now you needn't be bogged

down by heavy, cumbersome pump sets.

Self-Priming Technology

Honda Pump sets feature the self-priming technology (available in select models), which makes it absolutely hassle free for the farmer to carry out his operations. Also, you don't require Foot Valve.

Easy Start

With Honda Portable Pump sets you can be free of tiresome and time consuming task of starting a pump set. A Recoil Starter and other superior in-built features permit quick and smooth start. Anytime and Every time.



Authorised Dealers ForHonda Siel Power Products

Showroom & Sales Office : # 3, Opp : Veterinary College, Next to Cafe Coffee Day, Near CBI Office, Bellary Road, Ganganagar, Bangalore - 24. Tel : 080 4214 6675 / 4214 6692 Mobile : 98452 04711 / 98458 40838 / 98455 41521 Email : apg@akashpowergensets.com