



WB15X ENGINE MODEL SPECIFICATIONS
Displacement: 149 cc
Power: 1.5 kW (20 HP) @ 3600 rpm
Torque: 1.2 Nm (0.9 kg-m) @ 2400 rpm
Fuel System: Carburetor
Ignition System: CDI
Cooling System: Air-cooled
Starting System: Recoil
Dimensions: 210 x 160 x 160 mm (H x W x D)
Weight: 4.5 kg
Emissions: EPA Tier 4, CARB ECEC
Approved by the U.S. Environmental Protection Agency (EPA) and the California Air Resources Board (CARB).
© 2015 Honda Motor Co., Ltd.

HONDA
GX
20
Honda Motor Co., Ltd.
www.honda.com

Presenting

Bachat Ka Badshah

HONDA
POWER PRODUCTS

WB15X

Self Priming Petrol Pumpset



HONDA
POWER PRODUCTS
PUMPSET
Portable & Powerful



Powerful Engine
(2HP)/1.5kW



Light weight (15Kg.)
Easy to carry



#40% less fuel
Consumption



27% more saving
Cost recovery in 4 yrs



Easy to carry
water at heights

Compared to similar pump available in market.
Based on internal experiment at Honda Siel Power Products Ltd.

प्रमुख विशेषताएं	
इंजन	OHV, एयर कूल्ड, 4 स्ट्रोक, पेट्रोल इंजन
मॉडल	WB15X
डिस्प्लेसमेंट (सी सी)	79.7
नेट पावर (कि.वा.)	1.5 kW/3600 RPM
ईंधन	पेट्रोल
पम्पसेट	
साइज (एम एम)	38x38
मैक्स हेड (मीटर)	26
मैक्स डिस्चार्ज	160 लीटर / मिनट
वजन (कि.ग्रा.) Dry wt.	15 kg
अन्य विशेषताएं	
स्टार्ट	रिक्वाइल
पम्प मैटेरियल	एल्यूमीनियम
फ्रेम	हैडल
फ्यूल टैंक	3.5 लीटर
प्राइमिंग	सेल्फ 'प्राइमिंग'

HONDA
POWER PRODUCTS

WB15X पेट्रोल पम्पसेट की विशेषताएं :



9600 ली. प्रति घंटे पानी – कम समय में ज्यादा सिंचाई।



26 मी. हेड—ज्यादा दूर तक पानी ले जा सकते हैं।



Recoil Start - स्टार्ट करना आसान।



विश्वसनीय सेल्स एवं सर्विस ब्लाक स्तर पर उपलब्ध

होण्डा पेट्रोल पम्पसेट बचाये पैसा				
पैरामीटर	WB15X पेट्रोल पम्पसेट	अन्य सामान्य पम्पसेट	अंतर अन्य केरोसिन पम्पसेट के मुकाबले	होण्डा WB15X पम्प से फायदा
ईंधन	पेट्रोल	केरोसिन		कम रखरखाव
एच पी सेटिंग	2	1.95		ज्यादा पावर
वजन (कि.ग्रा.)	15	33-40		सबसे हल्का
ईंधन की कीमत** (Rs./Ltr.)	63	48	-	
ईंधन खपत (लीटर/घंटा)*	0.5-0.78	0.9-1.1	(-) 40%	कम ईंधन खपत
चलाने का खर्च (रुपये/घंटा)	32	43	11	चलाने का खर्च कम
सालाना खर्च (रु) 300 घंटे तक उपयोग	9450	12960	(-) 3510 (27%)	ज्यादा बचत

**कीमत (दिल्ली) 1 अक्टूबर-15

*होण्डा सिएल पावर प्रोडक्ट्स लिमिटेड में आंतरिक प्रयोग के आधार पर

इसलिए, अब इंतजार किस बात का?

आज ही अपने निकटवर्ती होण्डा डीलर से सम्पर्क कीजिए

अधिकृत विक्रेता

CIN No. : L40103DL2004PLC203950

Head Office : Honda Siel Power Products Ltd. : Plot No 5, Sector 41 Kasna, Greater Noida Industrial Development Area, Distt Gautam Budh Nagar (U.P.) Ph.: 0120-2341050-59, • Registered Office : 409, DLF Tower B, Jasola Commercial Complex, South Delhi, New Delhi- 110025

AKASH
POWER GENSETS

Authorised Dealers For Honda
Siel Power Products

Showroom & Sales Office : # 3, Opp : Veterinary College,
Next to Cafe Coffee Day, Near CBI Office, Bellary Road,
Ganganagar, Bangalore - 24. Tel : 080 4214 6675 / 4214 6692
Mobile : 98452 04711 / 98458 40838 / 98455 41521
Email : apg@akashpowergensets.com