





HONDA
POWER PRODUCTS

F300 Tiller

Multi Purpose Machine

**Spreads happiness amongst
the farmers.**



- Portable
- Reliable Power
- Easy to Start
- Easy in Operation
- Easy to Transport

Deweeding Solution for
Fruits, Vegetables, Cotton
Sugarcane, Flower Plantations

F300 Tiller

HONDA
The Power of Dreams



SPECIFICATION

ENGINE

HONDA F300

Type	4 Stroke, Air Cooled, OHV, Single Cylinder Petrol Run
Displacement (cm ³)	79.7
Net Power (kW/rpm)	1.5 kW @ 3600 rpm
Max. Net Torque (N-m/rpm)	4.5 N-m @ 2500 rpm
Fuel Tank Capacity (Ltr.)	1 Ltr
Continuous Running Hours	2.5 hrs.

TRANSMISSION

Mechanism from Engine Transmission	V-Belt
Main Clutch	Belt Tension Type

EQUIPMENT

Handle Bar Shape	Y Shape-Adjustable
Cultivating Width (mm)	(Flexible) 305/450
Tine Diameter (mm)	300
Ground Clearance (mm)	85

MEASUREMENTS

Dimensions (LxWxH) (mm)	1320 x 550 x 945
Dry Weight (Kg)	37

HONDA
POWER PRODUCTS

AKASH POWER GENSETS

Authorised Dealers For Honda
Siel Power Products

Showroom & Sales Office : # 3, Opp : Veterinary College,
Next to Cafe Coffee Day, Near CBI Office, Bellary Road,
Ganganagar, Bangalore - 24. Tel : 080 4214 6675 / 4214 6692
Mobile : 98452 04711 / 98458 40838 / 98455 41521
Email : apg@akashpowergensets.com